



Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(bayesian network*<in>ab) <and> (probab*<in>ab) <and> (hidden<in>..."

☒ e-mail

Your search matched 12 of 1233246 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

(bayesian network*<in>ab) <and> (probab*<in>ab) <and> (hidden<in>ab)

☐ Check to search only within this results set

» Key

Display Format: ☒ Citation ☐ Citation & Abstract

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEEE Conference Proceeding

IEEE STD IEEE Standard

Select Article Information

- ☐ 1. **Fuzzy hidden Markov predictor in electric load forecasting**
Teixeira, M.A.; Zaverucha, G.;
Neural Networks, 2004. Proceedings. 2004 IEEE International Joint Conference
Volume 1, 25-29 July 2004 Page(s):
[AbstractPlus](#) | Full Text: [PDF](#)(675 KB) IEEE CNF
- ☐ 2. **Tracking appearances with occlusions**
Ying Wu; Ting Yu; Gang Hua;
Computer Vision and Pattern Recognition, 2003. Proceedings. 2003 IEEE Conf
Conference on
Volume 1, 18-20 June 2003 Page(s):I-789 - I-795 vol.1
Digital Object Identifier 10.1109/CVPR.2003.1211433
[AbstractPlus](#) | Full Text: [PDF](#)(493 KB) IEEE CNF
- ☐ 3. **Choice of error cost function for training unobservable nodes in Bayesian**
Chee-Keong Kwoh; Gillies, D.F.;
Knowledge-Based Intelligent Electronic Systems, 1997. KES '97. Proceedings.
International Conference on
Volume 2, 21-23 May 1997 Page(s):565 - 574 vol.2
Digital Object Identifier 10.1109/KES.1997.619438
[AbstractPlus](#) | Full Text: [PDF](#)(672 KB) IEEE CNF
- ☐ 4. **A guide to the literature on learning probabilistic networks from data**
Buntine, W.;
Knowledge and Data Engineering, IEEE Transactions on
Volume 8, Issue 2, April 1996 Page(s):195 - 210
Digital Object Identifier 10.1109/69.494161
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(1892 KB) IEEE JNL
- ☐ 5. **A robust Bayesian network for articulated motion classification**
Imenkov, N.S.; Dockstader, S.L.; Tekalp, A.M.;
Image Processing, 2003. ICIP 2003. Proceedings. 2003 International Conferer
Volume 3, 14-17 Sept. 2003 Page(s):III - 305-8 vol.2
Digital Object Identifier 10.1109/ICIP.2003.1247242
[AbstractPlus](#) | Full Text: [PDF](#)(397 KB) IEEE CNF
- ☐ 6. **Hidden mode HMM using Bayesian network for modeling speaking rate fl**

Shinozaki, T.; Furui, S.;
Automatic Speech Recognition and Understanding, 2003. ASRU '03. 2003 IEEE
30 Nov.-3 Dec. 2003 Page(s):417 - 422
Digital Object Identifier 10.1109/ASRU.2003.1318477
[AbstractPlus](#) | Full Text: [PDF\(492 KB\)](#) IEEE CNF

- ☐ **7. Research on modeling with dynamic Bayesian networks**
Fengzhan Tian; Hongwei Zhang; Yuchang Lu;
Web Intelligence, 2003. WI 2003. Proceedings. IEEE/WIC International Conference on
13-17 Oct. 2003 Page(s):606 - 609
[AbstractPlus](#) | Full Text: [PDF\(241 KB\)](#) IEEE CNF
- ☐ **8. Large-scale event detection using semi-hidden Markov models**
Somboon Hongeng; Ramakant Nevatia;
Computer Vision, 2003. Proceedings. Ninth IEEE International Conference on
13-16 Oct. 2003 Page(s):1455 - 1462 vol.2
[AbstractPlus](#) | Full Text: [PDF\(4684 KB\)](#) IEEE CNF
- ☐ **9. Automatic speaker recognition using dynamic Bayesian network**
Lifeng Sang; Zhaohui Wu; Yingchun Yang; Wanfeng Zhang;
Multimedia and Expo, 2003. ICME '03. Proceedings. 2003 International Conference
Volume 3, 6-9 July 2003 Page(s):III - 613-16 vol.3
[AbstractPlus](#) | Full Text: [PDF\(318 KB\)](#) IEEE CNF
- ☐ **10. Automatic speaker recognition using dynamic Bayesian network**
Lifeng Sang; Zhaohui Wu; Yingchun Yang; Wanfeng Zhang;
Acoustics, Speech, and Signal Processing, 2003. Proceedings. (ICASSP '03).
International Conference on
Volume 1, 6-10 April 2003 Page(s):I-188 - I-191 vol.1
[AbstractPlus](#) | Full Text: [PDF\(325 KB\)](#) IEEE CNF
- ☐ **11. Mixed Bayesian networks with auxiliary variables for automatic speech recognition**
Stephenson, T.A.; Magimai-Doss, M.; Bourlard, H.;
Pattern Recognition, 2002. Proceedings. 16th International Conference on
Volume 4, 2002 Page(s):293 - 296 vol.4
Digital Object Identifier 10.1109/ICPR.2002.1047454
[AbstractPlus](#) | Full Text: [PDF\(409 KB\)](#) IEEE CNF
- ☐ **12. An experimental study of coupled hidden Markov models**
Chu, S.M.; Huang, T.S.;
Acoustics, Speech, and Signal Processing, 2002. Proceedings. (ICASSP '02).
International Conference on
Volume 4, 13-17 May 2002 Page(s):IV-4100 - IV-4103 vol.4
Digital Object Identifier 10.1109/ICASSP.2002.1004820
[AbstractPlus](#) | Full Text: [PDF\(446 KB\)](#) IEEE CNF




[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)Results for "(bayesian <in>ab) <and> (handwrit*<in>ab) <and> (hidden<in>ab)" [e-mail](#)

Your search matched 4 of 1233246 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

(bayesian <in>ab) <and> (handwrit*<in>ab) <and> (hidden<in>ab) [»](#)☐ Check to search only within this results set

» Key

Display Format: ☒ Citation ☐ Citation & Abstract

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Select Article Information

- ☐ 1. **A Bayesian model selection criterion for HMM topology optimization**
 Biem, A.; Jin-Young Ha; Subrahmonia, J.;
 Acoustics, Speech, and Signal Processing, 2002. Proceedings. (ICASSP '02).
 International Conference on
 Volume 1, 2002 Page(s):I-989 - I-992 vol.1
 Digital Object Identifier 10.1109/ICASSP.2002.1005908
[AbstractPlus](#) | Full Text: [PDF](#)(358 KB) IEEE CNF
- ☐ 2. **A model selection criterion for classification: application to HMM topolog**
 Biem, A.;
 Document Analysis and Recognition, 2003. Proceedings. Seventh Internationa
 3-6 Aug. 2003 Page(s):104 - 108 vol.1
 Digital Object Identifier 10.1109/ICDAR.2003.1227641
[AbstractPlus](#) | Full Text: [PDF](#)(307 KB) IEEE CNF
- ☐ 3. **HMM topology optimization for handwriting recognition**
 Danfeng Li; Biem, A.; Subrahmonia, J.;
 Acoustics, Speech, and Signal Processing, 2001. Proceedings. (ICASSP '01).
 International Conference on
 Volume 3, 7-11 May 2001 Page(s):1521 - 1524 vol.3
 Digital Object Identifier 10.1109/ICASSP.2001.941221
[AbstractPlus](#) | Full Text: [PDF](#)(316 KB) IEEE CNF
- ☐ 4. **Automatic handwriting gestures recognition using hidden Markov model:**
 Martin, J.; Durand, J.-B.;
 Automatic Face and Gesture Recognition, 2000. Proceedings. Fourth IEEE Int
 Conference on
 28-30 March 2000 Page(s):403 - 409
 Digital Object Identifier 10.1109/AFGR.2000.840666
[AbstractPlus](#) | Full Text: [PDF](#)(244 KB) IEEE CNF

 Indexed by
[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2005 IEEE --


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((handwrit* <near/3> recogn*)<in>ab) <and> (hidden<in>ab) <and> (..."

Your search matched 23 of 1233246 documents.

e-mail

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEEE Conference Proceeding

IEEE STD IEEE Standard

Select Article Information

- ☐ 1. **Generalized hidden Markov models. II. Application to handwritten word recognition**
Mohamed, M.A.; Gader, P.;
Fuzzy Systems, IEEE Transactions on
Volume 8, Issue 1, Feb. 2000 Page(s):82 - 94
Digital Object Identifier 10.1109/91.824774
[AbstractPlus](#) | Full Text: [PDF](#)(304 KB) IEEE JNL
- ☐ 2. **Training hidden Markov models with multiple observations-a combinatorial approach**
Xiaolin Li; Parizeau, M.; Plamondon, R.;
Pattern Analysis and Machine Intelligence, IEEE Transactions on
Volume 22, Issue 4, April 2000 Page(s):371 - 377
Digital Object Identifier 10.1109/34.845379
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(180 KB) IEEE JNL
- ☐ 3. **Fast two-level HMM decoding algorithm for large vocabulary handwriting recognition**
Koerich, A.L.; Sabourin, R.; Suen, C.Y.;
Frontiers in Handwriting Recognition, 2004. IWFHR-9 2004. Ninth International
26-29 Oct. 2004 Page(s):232 - 237
Digital Object Identifier 10.1109/IWFHR.2004.42
[AbstractPlus](#) | Full Text: [PDF](#)(144 KB) IEEE CNF
- ☐ 4. **Offline cursive handwriting recognition system based on hybrid Markov networks**
Tay, Y.H.; Khalid, M.; Yusof, R.; Viard-Gaudin, C.;
Computational Intelligence in Robotics and Automation, 2003. Proceedings. 2003
International Symposium on
Volume 3, 16-20 July 2003 Page(s):1190 - 1195 vol.3
[AbstractPlus](#) | Full Text: [PDF](#)(444 KB) IEEE CNF
- ☐ 5. **HMM topology selection for on-line Thai handwriting recognition**
Siriboon, K.; Jirayusakul, A.; Kruatrachue, B.;
Cyber Worlds, 2002. Proceedings. First International Symposium on
6-8 Nov. 2002 Page(s):142 - 145
Digital Object Identifier 10.1109/CW.2002.1180872
[AbstractPlus](#) | Full Text: [PDF](#)(423 KB) IEEE CNF
- ☐ 6. **Chinese handwriting recognition using hidden Markov models**

Bing Feng; Xiaoqing Ding; Youshou Wu;
Pattern Recognition, 2002. Proceedings. 16th International Conference on
Volume 3, 11-15 Aug. 2002 Page(s):212 - 215 vol.3
Digital Object Identifier 10.1109/ICPR.2002.1047832
[AbstractPlus](#) | Full Text: [PDF](#)(329 KB) IEEE CNF

- ☐ 7. **Hidden Markov model length optimization for handwriting recognition system**
Zimmermann, M.; Bunke, H.;
Frontiers in Handwriting Recognition, 2002. Proceedings. Eighth International Conference on
6-8 Aug. 2002 Page(s):369 - 374
Digital Object Identifier 10.1109/IWFHR.2002.1030938
[AbstractPlus](#) | Full Text: [PDF](#)(365 KB) IEEE CNF
- ☐ 8. **An a priori indicator of the discrimination power of discrete hidden Markov models**
Grandidier, F.; Sabourin, R.; Gilloux, M.; Suen, C.Y.;
Document Analysis and Recognition, 2001. Proceedings. Sixth International Conference on
10-13 Sept. 2001 Page(s):350 - 354
Digital Object Identifier 10.1109/ICDAR.2001.953812
[AbstractPlus](#) | Full Text: [PDF](#)(376 KB) IEEE CNF
- ☐ 9. **Offline handwritten word recognition using a hybrid neural network and hidden Markov model**
Yong Haur Tay; Lallican, P.-M.; Khalid, M.; Viard-Gaudin, C.; Knerr, S.;
Signal Processing and its Applications, Sixth International, Symposium on. 2001
Volume 2, 13-16 Aug. 2001 Page(s):382 - 385 vol.2
Digital Object Identifier 10.1109/ISSPA.2001.950160
[AbstractPlus](#) | Full Text: [PDF](#)(376 KB) IEEE CNF
- ☐ 10. **An analytical handwritten word recognition system with word-level discrimination**
Yong Haur Tay; Lallican, P.-M.; Khalid, M.; Knerr, S.; Viard-Gaudin, C.;
Document Analysis and Recognition, 2001. Proceedings. Sixth International Conference on
10-13 Sept. 2001 Page(s):726 - 730
Digital Object Identifier 10.1109/ICDAR.2001.953885
[AbstractPlus](#) | Full Text: [PDF](#)(400 KB) IEEE CNF
- ☐ 11. **An offline cursive handwritten word recognition system**
Yong Haur Tay; Lallican, P.M.; Khalid, M.; Viard-Gaudin, C.; Kneer, S.;
Electrical and Electronic Technology, 2001. TENCON. Proceedings of IEEE Region 10
International Conference on
Volume 2, 19-22 Aug. 2001 Page(s):519 - 524 vol.2
Digital Object Identifier 10.1109/TENCON.2001.949649
[AbstractPlus](#) | Full Text: [PDF](#)(633 KB) IEEE CNF
- ☐ 12. **Automatic handwriting gestures recognition using hidden Markov model**
Martin, J.; Durand, J.-B.;
Automatic Face and Gesture Recognition, 2000. Proceedings. Fourth IEEE International Conference on
28-30 March 2000 Page(s):403 - 409
Digital Object Identifier 10.1109/AFGR.2000.840666
[AbstractPlus](#) | Full Text: [PDF](#)(244 KB) IEEE CNF
- ☐ 13. **Hidden Markov random field based approach for off-line handwritten Chinese character recognition**
Qing Wang; Zheru Chi; Feng, D.D.; Rongchun Zhao;
Pattern Recognition, 2000. Proceedings. 15th International Conference on
Volume 2, 3-7 Sept 2000 Page(s):347 - 350 vol.2
Digital Object Identifier 10.1109/ICPR.2000.906084
[AbstractPlus](#) | Full Text: [PDF](#)(368 KB) IEEE CNF

- ☐ **14. Brazilian bank check handwritten legal amount recognition**
de Almendra Freitas, C.O.; El Yacoubi, A.; Bortolozzi, F.; Sabourin, R.;
Computer Graphics and Image Processing, 2000. Proceedings XIII Brazilian S
17-20 Oct. 2000 Page(s):97 - 104
Digital Object Identifier 10.1109/SIBGRA.2000.883901
[AbstractPlus](#) | Full Text: [PDF](#)(636 KB) IEEE CNF

- ☐ **15. Holistic handwritten word recognition using discrete HMM and self-organizing map**
Dehghan, M.; Faez, K.; Ahmadi, M.; Shridhar, M.;
Systems, Man, and Cybernetics, 2000 IEEE International Conference on
Volume 4, 8-11 Oct. 2000 Page(s):2735 - 2739 vol.4
Digital Object Identifier 10.1109/ICSMC.2000.884410
[AbstractPlus](#) | Full Text: [PDF](#)(367 KB) IEEE CNF

- ☐ **16. HMMRF: a stochastic model for offline handwritten Chinese character recognition**
Qing Wang; Rongchun Zhao; Zheru Chi; Feng, D.D.;
Signal Processing Proceedings, 2000. WCCC-ICSP 2000. 5th International Conference on
Volume 3, 21-25 Aug. 2000 Page(s):1475 - 1478 vol.3
Digital Object Identifier 10.1109/ICOSP.2000.893379
[AbstractPlus](#) | Full Text: [PDF](#)(384 KB) IEEE CNF

- ☐ **17. A hybrid handwritten word recognition using self-organizing feature map and evolutionary programming**
Dehghan, M.; Faez, K.; Ahmadi, M.;
Neural Networks, 2000. IJCNN 2000, Proceedings of the IEEE-INNS-ENNS International
Conference on
Volume 5, 24-27 July 2000 Page(s):515 - 520 vol.5
Digital Object Identifier 10.1109/IJCNN.2000.861521
[AbstractPlus](#) | Full Text: [PDF](#)(384 KB) IEEE CNF

- ☐ **18. On-line handwritten formula recognition using statistical methods**
Kosmala, A.; Rigoll, G.;
Pattern Recognition, 1998. Proceedings. Fourteenth International Conference on
Volume 2, 16-20 Aug. 1998 Page(s):1306 - 1308 vol.2
Digital Object Identifier 10.1109/ICPR.1998.711941
[AbstractPlus](#) | Full Text: [PDF](#)(52 KB) IEEE CNF

- ☐ **19. Model-based online handwritten digit recognition**
Xiaolin Li; Plamondon, R.; Parizeau, M.;
Pattern Recognition, 1998. Proceedings. Fourteenth International Conference on
Volume 2, 16-20 Aug. 1998 Page(s):1134 - 1136 vol.2
Digital Object Identifier 10.1109/ICPR.1998.711895
[AbstractPlus](#) | Full Text: [PDF](#)(56 KB) IEEE CNF

- ☐ **20. A comparative study of the cascade-correlation architecture in pattern recognition applications**
Ribeiro, J.N.G.; Vasconcelos, G.C.; Queiroz, C.R.O.;
Neural Networks, 1997. Proceedings., IVth Brazilian Symposium on
3-5 Dec. 1997 Page(s):31 - 40
Digital Object Identifier 10.1109/SBRN.1997.645846
[AbstractPlus](#) | Full Text: [PDF](#)(836 KB) IEEE CNF

- ☐ **21. A hybrid radial basis function network/hidden Markov model handwritten recognition system**
Gilloux, M.; Lemarie, B.; Leroux, M.;
Document Analysis and Recognition, 1995., Proceedings of the Third International Conference on

Volume 1, 14-16 Aug. 1995 Page(s):394 - 397 vol.1
Digital Object Identifier 10.1109/ICDAR.1995.599021

[AbstractPlus](#) | Full Text: [PDF](#)(372 KB) IEEE CNF



22. Multilevel HMM for handwritten word recognition

Mou-Yen Chen; Kundu, A.;

Acoustics, Speech, and Signal Processing, 1995. ICASSP-95., 1995 International Symposium on

Volume 4, 9-12 May 1995 Page(s):2623 - 2626 vol.4

Digital Object Identifier 10.1109/ICASSP.1995.480099

[AbstractPlus](#) | Full Text: [PDF](#)(304 KB) IEEE CNF



23. Real-time American Sign Language recognition from video using hidden

Starnier, T.; Pentland, A.;

Computer Vision, 1995. Proceedings., International Symposium on
21-23 Nov. 1995 Page(s):265 - 270

Digital Object Identifier 10.1109/ISCV.1995.477012

[AbstractPlus](#) | Full Text: [PDF](#)(644 KB) IEEE CNF




Indexed by

inspec

[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2005 IEEE --



Web Results 1 - 10 of about 12,400 for **bayesian mixture handwriting hidden network**. (0.06 seconds)

Publications List

Robust **Bayesian mixture** modelling. Neurocomputing . submitted for publication.
 ... **Networks** having a single **hidden** layer, for which the learning algorithm ...
research.microsoft.com/~cmbishop/publications_abs.htm - 133k - [Cached](#) - [Similar pages](#)

Markus Svensén's Publications

Robust **Bayesian Mixture** Modelling 2005 Neurocomputing 235–252 64 **Bayesian**
 approaches to density estimation and clustering using **mixture** distributions allow ...
research.microsoft.com/~markussv/pubs_all.aspx - 21k - [Cached](#) - [Similar pages](#)
[\[More results from research.microsoft.com \]](#)

Software and Hardware for Data Analysis, Pattern Recognition and ...

BayesBuilder A tool for constructing and testing **Bayesian networks**; BayesiaLab A
 tool ... A Portable **Handwriting** Recognition Engine Interface (SUN); Kofax ...
www.ph.tn.tudelft.nl/PRInfo/software.html - 16k - [Cached](#) - [Similar pages](#)

English version of papers

... probability and neural **network** classifier in a **handwriting** recognition task",
 1998. ... In statistical modeling, we can use **Bayesian mixture** model. ...
staff.aist.go.jp/y.motomura/paper/paper.html - 19k - [Cached](#) - [Similar pages](#)

Citations: **Hidden** Markov Models for Fault Detection in Dynamic ...

Detecting Novel Fault Conditions with **Hidden** Models **Networks** - Jet ... Training
Bayesian networks for image segmentation - Feng, Williams (1998) (Correct) ...
citeseer.ist.psu.edu/context/23316/0 - 26k - [Cached](#) - [Similar pages](#)

Update rules for parameter estimation in **Bayesian networks** - Bauer ...

10: A tutorial on learning with **bayesian networks** - Heckerman - 1995 ... 57 Local
 learning in probabilistic **networks** with **hidden** variabl. ...
citeseer.ist.psu.edu/bauer97update.html - 24k - [Cached](#) - [Similar pages](#)

[PDF] Multistream Dynamic **Bayesian Network** for Meeting Segmentation

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 a dynamic **Bayesian network** based model, characterized by multiple stream pro-
 ... Probabilistic independence **networks** for **hidden**. Markov probability models. ...
www.cstr.ed.ac.uk/downloads/publications/2005/dielmann-mlmi04.pdf - [Similar pages](#)

Matthew J. Beal - Publications

... Approach to Reconstructing Genetic Regulatory **Networks** with **Hidden** Factors
 ... Tree of Latent **Mixtures** for **Bayesian** Modelling and Classification of High ...
www.cse.buffalo.edu/faculty/mbeal/papers.html - 15k - [Cached](#) - [Similar pages](#)

Partial List of Research Publications


Constructive neural **networks** as estimators of **Bayesian** discriminant functions.
 ... A grammatical inference approach to on-line **handwriting** modeling and ...
www.cs.ust.hk/~dyyeung/paper/publist.html - 26k - [Cached](#) - [Similar pages](#)

Neural Information Processing Systems 1996

Multilayer Neural Networks: One or Two Hidden Layers? 148-154 ... Learning Bayesian Belief Networks with Neural Network Estimators. 578-584 ...
www.informatik.uni-trier.de/~ley/db/conf/nips/nipsN1996.html - 72k - [Cached](#) - [Similar pages](#)

Google

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)



Free! Instantly find your email, files, media and web history. [Download now.](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

Web

Results 11 - 20 of about 12,400 for bayesian mixture handwriting hidden network. (0.09 seconds)

Abstracts of the ISI AI Seminar Series

... models: dependency **networks** – a close cousin of the **Bayesian network** – and **mixture** models. ... Why Discretization Works For Naive **Bayesian** Classifiers ...
www.isi.edu/divisions/div3/ai-seminar-talks-00.html - 31k - [Cached](#) - [Similar pages](#)

Martin Hiu Chung Law

Unsupervised learning: clustering, Gaussian **mixture**, manifold learning ...
Hidden Markov models, neural **networks**, **Bayesian networks**, non-parametric ...
www.cse.msu.edu/~lawhiu/ - 19k - [Cached](#) - [Similar pages](#)

[PDF] Goole-Scholar (Cited Reference Search) Report(Cited by 1575 ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)
 RBF nets, **mixture** experts, and **Bayesian** Ying-Yang learning ... A Modified Gating **Network** for the **Mixture** of Experts Architecture ...
www.cse.cuhk.edu.hk/~lxu/goole-05.pdf - [Similar pages](#)

J. Frankel and S. King. ASR - articulatory speech recognition. In ...

Mixture density networks, human articulatory data and acoustic-to-articulatory inversion ... Predicting segmental durations using **Bayesian Belief networks**. ...
www.cstr.ed.ac.uk/publications/2001_abstracts.html - 24k - [Cached](#) - [Similar pages](#)
[\[More results from www.cstr.ed.ac.uk \]](#)

Publication - Conference Papers

... "Writer Dependent Online **Handwriting** Generation with **Bayesian Network**", ...
 The 6th Int'l Workshop on Frontiers in **Handwriting** Recognition, 1998, ...
ai.kaist.ac.kr/Publication/Conference.html - 72k - Sep 5, 2005 - [Cached](#) - [Similar pages](#)

NIPS Volume 9: Table of Contents

0578, Learning **Bayesian Belief Networks** with Neural **Network** Estimators, ... 0988,
 Interpolating Earth-science Data using RBF **Networks** and **Mixtures** of ...
nips.djvuzone.org/nips09-toc.html - 41k - [Cached](#) - [Similar pages](#)

NIPS Volume 10: Table of Contents

Part VI Speech, **Handwriting** and Signal Processing. 0735, Analysis of Drifting
 Dynamics with Neural **Network Hidden Markov** Models, ...
nips.djvuzone.org/nips10-toc.html - 41k - [Cached](#) - [Similar pages](#)

Pattern Recognition: Theories and Applications

Mixture models. The EM algorithm. Bayes rules and **Bayesian** inferences ... 1.
Hidden Markov models for dynamic pattern modeling and recognition ...
icr.uwaterloo.ca/courses/archive/sc981118.html - 36k - Sep 5, 2005 - [Cached](#) - [Similar pages](#)

Ten years of HMMs

"An Integrated Hybrid Neural **Network** and **Hidden Markov** Model Classifier for ...
 " **Bayesian** learning for **hidden Markov** model with Gaussian **mixture** state ...
www.tsi.enst.fr/~cappe/docs/hmmbib.html - 75k - [Cached](#) - [Similar pages](#)

[PDF] Pruning **Hidden Markov** Models With Optimal Brain Surgeon

File Format: PDF/Adobe Acrobat

statistical **mixture** algorithm for on-line **handwriting** recognition," IEEE ...

Bayesian information criterion with multiple **mixtures**," in Proc. Int. ...

ieeexplore.ieee.org/iel5/ 89/32132/01495481.pdf?arnumber=1495481 - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L1	20	(handwrit\$4 or hand-writ\$4) same bayesian	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/09/07 10:54	
2	BRS	L2	2	1 same (visibl\$1 or visual\$3 or percept\$5)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/09/07 10:57	
3	BRS	L3	2	1 and ((mix\$5 or merg\$4 or link\$4 or plural\$4 or multiple\$1 or combin\$6) near\$4 bayesian)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/09/07 11:00	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
4	BRS	L4	2	1 same (observ\$5 or visual\$2 or visible)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/09/07 11:00	
5	BRS	L5	130	((mix\$5 or merg\$4 or link\$4 or plural\$4 or multiple\$1 or combin\$6) near4 bayesian) same network\$1	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/09/07 11:01	
6	BRS	L6	19	5 same hidden	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/09/07 11:01	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
7	BRS	L7	0	6 same (letter\$1 or character\$1 or writ\$5 or handprint\$3 or hand-pint\$3 or handwrit\$5 or hand-writ\$5)	US-PGPUB; USPAT; EPO; JPO; DERWEN T	2005/09/07 11:02	
8	BRS	L8	13	6 and (writ\$5 or handprint\$3 or hand-pint\$3 or handwrit\$5 or hand-writ\$5)	US-PGPUB; USPAT; EPO; JPO; DERWEN T	2005/09/07 11:17	
9	BRS	L9	12328	"13" and (hand-writ\$5 or handwrit\$5)	US-PGPUB; USPAT; EPO; JPO; DERWEN T	2005/09/07 11:17	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
10	BRS	L10	0	8 and (hand-writ\$5 or handwrit\$5)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/09/07 11:18	
11	BRS	L11	2	"6534669".pn.	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/09/07 11:18	
12	BRS	L12	1	"6345265".pn.	USPAT	2005/09/07 15:01	
13	BRS	L13	0	12 and (handprint\$3 or hand-print\$3 or hand-writ\$4 or handwrit\$4)	USPAT	2005/09/07 11:22	
14	BRS	L14	1	"6408290".pn.	USPAT	2005/09/07 11:22	
15	BRS	L15	0	14 and (handprint\$3 or hand-print\$3 or hand-writ\$4 or handwrit\$4)	USPAT	2005/09/07 11:22	
16	BRS	L16	1	"6336108".pn.	USPAT	2005/09/07 11:22	
17	BRS	L17	0	16 and (handprint\$3 or hand-print\$3 or hand-writ\$4 or handwrit\$4)	USPAT	2005/09/07 11:26	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
18	BRS	L19	2	18 same (probabil\$5 or likeli\$5 or chance\$1)	USPAT	2005/09/07 11:30	
19	BRS	L18	10	(hidden near2 (variable\$1 or node\$1)) same (handprint\$3 or hand- print\$3 or handwrit\$4 or hand-writ\$4)	USPAT	2005/09/07 12:06	
20	BRS	L20	0	((signature\$1 or handprint\$3 or hand-print\$3 or handwrit\$4 or hand- writ\$4) near5 (identif\$6 or recogn\$6)) same (common near1 hidden near2 (variable\$1 or node\$1))	USPAT	2005/09/07 12:08	
21	BRS	L21	0	((signature\$1 or handprint\$3 or hand-print\$3 or handwrit\$4 or hand- writ\$4) near5 (identif\$6 or recogn\$6)) and (common near1 hidden near2 (variable\$1 or node\$1))	USPAT	2005/09/07 12:09	
22	BRS	L22	454	((signature\$1 or handprint\$3 or hand-print\$3 or handwrit\$4 or hand- writ\$4) near5 (identif\$6 or recogn\$6)) same (statistic\$5 or probabilit\$3 or likeli\$5 or chance)	USPAT	2005/09/07 12:13	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
23	BRS	L23	96	22 same hidden	USPAT	2005/09/07 12:13	
24	BRS	L24	4	23 same (hypothe\$6 or belief\$1 or theor\$6)	USPAT	2005/09/07 12:13	
25	BRS	L25	1423	((signature\$1 or handprint\$3 or hand-print\$3 or handwrit\$4 or handwrit\$4 or word) near\$5 (identif\$6 or recogn\$6)) same (statistic\$5 or probabilit\$3 or likeli\$5 or chance)	USPAT	2005/09/07 12:13	
26	BRS	L26	234	25 same hidden	USPAT	2005/09/07 12:13	
27	BRS	L27	13	26 same (hypothe\$6 or belief\$1 or theor\$6)	USPAT	2005/09/07 12:13	
28	IS&R	L28	1549	(382/159,161,181,186,187,224,228,229).CCLS.	USPAT	2005/09/07 14:15	
29	IS&R	L29	1192	(706/45,46,52).CCLS.	USPAT	2005/09/07 14:15	
30	IS&R	L30	35	(704/255,256.1).CCLS.	USPAT	2005/09/07 14:21	
31	BRS	L32	0	18 and 29	USPAT	2005/09/07 14:24	
32	BRS	L33	0	18 and 30	USPAT	2005/09/07 14:25	
33	BRS	L31	4	18 and 28	USPAT	2005/09/07 14:25	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
34	BRS	L34	2	(common near1 hidden near1 (variable\$1 or node\$1)) same bayesian\$1	USPAT	2005/09/07 15:02	